

# BERRYFIELDS RACEWAY



## YEAR 2020 RULE BOOK

NAME

CAR No

# CHAMPIONSHIP

EACH CLASS WILL CONSIST OF EIGHT RACES, OF WHICH YOUR BEST SIX RESULTS IN EACH CLASS WILL COUNT TOWARDS EACH CHAMPIONSHIP.

POINT WILL BE AWARDED AS FOLLOWS :-

1<sup>st</sup> = 10pts    2<sup>nd</sup> = 8pts    3<sup>rd</sup> = 7pts    4<sup>th</sup> = 6pts

5<sup>th</sup> = 5pts    6<sup>th</sup> = 4pts    7<sup>th</sup> = 3pts    8<sup>th</sup> = 2pts

ALL OTHER FINISHERS = 1pt

# CLUB CHAMPION

YOUR FINAL POSITION IN EACH OF THE TWELVE CHAMPIONSHIPS, WILL COUNT TOWARDS BEING CLUB CHAMPION.

POINTS WILL BE AWARDED FOR EACH POSITION AS FOLLOWS :-

1<sup>st</sup> = 10pts    2<sup>nd</sup> = 8pts    3<sup>rd</sup> = 7pts    4<sup>th</sup> = 6pts

5<sup>th</sup> = 5pts    6<sup>th</sup> = 4pts    7<sup>th</sup> = 3pts    8<sup>th</sup> = 2pts

ALL OTHER PLACES = 1pt

# GROUP 1

GROUP C	<b>non-turbo</b> NO MAGNETS
D.T.M TOURING CARS	<b>non-turbo</b> NO MAGNETS
CAN-AM	<b>non-turbo</b> NO MAGNETS
BTCC ( Post 2012 )	<b>non-turbo</b> NO MAGNETS

# GROUP 2

WORLD GTs	NO MAGNETS
Le MANS & DAYTONA PROTOTYPES	NO MAGNETS
GROUP 5	<b>non-turbo</b> NO MAGNETS
NASCAR	SCALEXTRIC & SCX

# GROUP 3

OPEN CAN-AM	NO MAGNETS
CLUB CARS	<b>non-turbo</b> SUPPLIED ON THE NIGHT
CLASSIC RALLY	NO MAGNETS
RALLYCROSS	NO MAGNETS

# GROUP C

CARS ELIGIBLE

ONLY SLOT-IT

## GROUP C

JAGUAR XJR6 / XJR9 / XJR12
LANCIA LC2
MAZDA 787B
NISSAN R89C
NISSAN R90CK
NISSAN R90V
PORSCHE 956C / 956KH
PORSCHE 962C / 962KH
SAUBER MERCEDES C9
TOYOTA 86C
TOYOTA 88C

ALL CARS TO RUN IN AN INLINE CONFIGURATION.  
ALL BODYSHELLS & INTERIORS TO REMAIN STANDARD.

PTO

# GROUP C

## **MOTORS**

A STANDARD SLOT-IT SMALLCAN ( AS IT LEFT THE FACTORY ) WITH 9 TOOTH PINION MOTOR TO BE USED.

## **MOTOR MOUNT**

A BLACK CH13b or a DARK GREY CH70 INLINE MOTOR MOUNT TO BE USED.

## **GEARS**

A YELLOW 28 TOOTH INLINE GEAR TO BE USED.

## **MAGNETS**

MUST BE REMOVED.

## **GUIDES**

ONLY A SLOT-IT Std GUIDE TO BE USED, IT MAY BE SHAVED.

## **BRAIDS**

MAY BE STEEL OR COPPER.

## **AXLES**

MUST REMAIN STANDARD AS FITTED.

## **WHEELS**

PLASTIC & ALLOY ALLOWED ( MUST RUN INSERTS ).

## **TYRES**

SLOT-IT 1159 C1 FRONT TYRES

SLOT-IT 1167 C1 REAR TYRES MUST BE USED.

TYRES NOT TO BE GLUED TO WHEELS OR SOFTENED.

## **WEIGHT**

MAY BE ADDED INSIDE THE CAR.

## **RIDE HEIGHT**

NOT TO BE ALTERED.

# D.T.M. TOURING CARS

CARS ELIGIBLE

**CARRERA, NINCO, SCX,**

ALFA ROMEO 155Ti	MERCEDES C-COUBE
AUDI A4 DTM	MERCEDES CLK DTM
AUDI A5 DTM	MERCEDES C-KLASSE & MK1
AUDI TT-R DTM	OPEL CALIBRA
BMW M3 DTM	OPEL COUPE V8 DTM
BMW M4 DTM	OPEL VECTRA GTS V8

ALL CARS TO REMAIN STANDARD EXCEPT FOR THE FOLLOWING MODIFICATIONS.

## **MOTORS**

ONLY A STANDARD **NINCO** NC-1, NC-8 MOTOR MAY BE USED.  
**SCX & CARRERA** THE STD MOTOR OR AN NC-11 / NC-13 MAY USE

**THE CLUB WILL HELP WITH MOTOR ADAPTERS.**

## **MAGNETS**

MUST BE REMOVED.

## **WEIGHT**

MAY BE ADDED INSIDE THE CAR.

## **GUIDES**

MAY BE SHAVED, SPRUNG GUIDES MAY BE FITTED.

## **BRAIDS**

MAY BE STEEL OR COPPER.

## **RIDE HEIGHT**

NOT TO BE ALTERED.

## **AXLES**

MAX 60mm FRONT & REAR.

## **TYRES**

ONLY TYRES OF THE CORRECT SIZE MAY BE USED, FROM THE ABOVE MANUFACTURERS.

# CAN-AM

CARS ELIGIBLE

**FLY, GB TRACK, SRC & SCALEXTRIC CLASSIC.**

<b>ALFA ROMEO 33TT12</b>
<b>CHAPARRAL 2F</b>
<b>CHEVRON B19</b>
<b>CHEVRON B21</b>
<b>FERRARI P4</b>
<b>FERRARI 250 LM</b>
<b>FERRARI 512S</b>
<b>FERRARI 512 C</b>
<b>FERRARI 512 CL</b>
<b>FORD GT 40</b>
<b>LOLA T70</b>
<b>MATRA 670</b>
<b>PORSCHE 906 CARRERA 6</b>
<b>PORSCHE 907K</b>
<b>PORSCHE 907L</b>
<b>PORSCHE 908</b>
<b>PORSCHE 908 FLUNDER</b>
<b>PORSCHE 908 FLUNDER LH</b>
<b>PORSCHE 908 / 3</b>
<b>PORSCHE 917K</b>
<b>PORSCHE 917 LH</b>
<b>PORSCHE 917 SPYDER</b>
<b>PORSCHE 917 / 10</b>

**PTO**

# CAN-AM

**ALL CARS TO REMAIN STANDARD EXCEPT FOR THE FOLLOWING MODIFICATIONS.**

## **MOTORS**

TO REMAIN STANDARD AS FITTED.

## **MAGNETS**

MUST BE REMOVED.

## **WEIGHT**

MAY BE ADDED INSIDE THE CAR.

## **RIDE HEIGHT**

NOT TO BE ALTERED.

## **GUIDES**

SPRUNG GUIDES ARE NOT ALLOWED.

MAY BE SHAVED TO PREVENT BOTTOMING, NOTHING ELSE.

## **BRAIDS**

MAY BE STEEL OR COPPER.

## **AXLES**

REAR AXLE MUST REMAIN STANDARD, FRONT MAY BE REPLACED WITH SOLID AXLE.

## **TYRES**

FLY & SCALEXTRIC CLASSIC TYRES MAY BE USED ON OWN MAKE OF CAR.

LOW PROFILE FRONTS MAY BE USED.

**( CLASSIC NSR SUPERGRIPS MAY BE USED ).**



# BTCC (Post 2012)

CARS ELIGIBLE SCALEXTRIC ONLY

<b>BMW 125</b>	<b>MG 6</b>
<b>HONDA CIVIC TYPE R</b>	<b>VW PASSAT</b>

**ALL CARS TO REMAIN STANDARD EXCEPT FOR THE FOLLOWING MODIFICATIONS.**

## **MOTORS**

TO REMAIN STANDARD AS FITTED.

## **MAGNETS**

MUST BE REMOVED.

## **GUIDES**

TO REMAIN STANDARD, BUT MAY BE SHAVED

## **BRAIDS**

MAY BE STEEL OR COPPER.

## **AXLES**

MUST REMAIN STANDARD AS FITTED.

## **WHEELS**

MUST REMAIN PLASTIC

## **TYRES**

SLOT-IT 1088 C1 FRONT TYRES.

SLOT-IT 1152 C1 REAR TYRES MUST BE USED.

TYRES NOT TO BE GLUED TO THE WHEELS OR SOFTENED

## **WEIGHT**

MAY BE ADDED INSIDE THE CAR.

## **RIDE HEIGHT**

NOT TO BE ALTERED.

# WORLD GTs.

ANY GT BODY FROM THE LIST MAY BE USED, NO BLOBS.

CHASSIS ALLOWED STD / HRS 2 OR 3D PRINTED

ONLY THE FOLLOWING MODIFICATIONS ARE ALLOWED.

ALL 4 WHEELS MUST TOUCH THE GROUND ON A FLAT SLOTTED SURFACE. BODY WORK MUST COVER THE TYRES.

ALL CARS MUST RUN AN INLINE CONFIGURATION.

SICH 34	HRS 2 INLINE STARTER KIT
SIKK 07	INLINE LARGE HUBS 17 x 10 STARTER KIT 28z
SIPA 18PL	PLASTIC WHEELS 17 x 8 or SIPA 18ALS
SIPA 01	STEEL PRO AXEL 54mm
SICH 48b	INLINE MOUNT WITH TORSION BAR
SIP 109	9 TOOTH INLINE PINION
SISP 03	HIGH FLEXIBILITY SILICON CABLE
MM 18120	JP SLOT OR NC2 20,000 MOTOR
Front	SLICK 19 x 10 TYRES
Rear	SLOT-IT P6 20 x 11 TYRES ( SI-PT25 )



ACURA NSX GT3
ASTON MARTIN DBR9
ASTON MARTIN VANTAGE GT3
AUDI R8 LMS GT3
BENTLY CONTINENTAL GT3
BMW Z4 GT3
BMW M6 GT3
CORVETTE C5-R CR6 CR7
DODGE VIPER
FERRARI 458 ITALIA GT3
FERRARI 488 GT3
FORD GT
HONDA HSV
JAGUAR XKR GT3
KOENIGSEGG CCX
LAMBORGHINI GALLARDO GT3
LAMBORGHINI MURCIELAGO GT3
LAMBORGHINI HURRACAN GT3
MASERATI TROFEO COUPE
McLAREN MP4/12C GT3
McLAREN 650s GT3
McLAREN P1 GTR
MERCEDES AMG GT3
MERCEDES SLS AMG GT3
NISSAN GT-R GT3
PAGANI ZONDA
PORSCHE 997 GT3 RS
PORSCHE 911 GT3 R
RENAULT RS01 GT
SPYKER C8

# WORLD GTs

## **BODYSHELLS**

MUST NOT BE CUT & HAVE FULL ORIGINAL GLASS ALL ROUND. DRIVER PLATFORMS MUST REMAIN ORIGINAL, HOWEVER THEY MAY BE CUT TO ALLOW FOR THE INLINE MOTOR TO BE MOUNTED.

## **MOTORS**

ONLY A JP SLOT 20,000 rpm OR NINCO NC2 MOTOR, WITH A SLOT IT 9 TOOTH PINION ALLOWED.

## **MOTOR MOUNT**

ONLY A BLACK INLINE SLOT-IT MOUNT TO BE USED.

## **GEARS**

A YELLOW SLOT-IT 28 TOOTH INLINE GEAR TO BE USED.

## **MAGNETS**

NO MAGNETS ALLOWED.

## **WEIGHT**

WEIGHT MAY BE ADDED INSIDE THE CAR.

## **GUIDES**

SPRUNG GUIDES MAY BE USED, THEY MAY BE SHAVED.

## **BRAIDS**

MAY BE STEEL OR COPPER.

## **RIDE HEIGHT**

2mm MINIMUM.

## **AXLES**

ONLY SLOT-IT AXELS TO BE USED.  
MAX 65mm FRONT AND REAR.

## **WHEELS**

PLASTIC & ALLOY WHEELS MAY BE USED.  
INSERTS MUST BE FITTED.

## **TYRES**

ONLY SLOT-IT PT25 P6 REAR TYRES MUST BE USED.  
TYRES NOT TO BE GLUED TO THE WHEELS OR SOFTENED

# Le Mans & DAYTONA PROTOTYPES.

## CARS ELIGIBLE

OPEN TOP	CLOSED TOP
ACURA LMP 2	AUDI R8C
ASTON MARTIN AMR-ONE	AUDI R18e / TDI LMP 2
AUDI R8 LMP 1	AUDI R18 ULTRA
AUDI R10 LMP 1	BENTLEY EXP SPEED 8 LMP
AUDI R15 TDI LMP 1	DOMES102 LMP 1
CADILLAC NORTHSTAR LMP	LOLA B09/60 LMP 1
COURAGE C-65 LMP1	LOLA B10/65 LMP 1
DALLARA LMP 1	LOLA B11/80 LMP 2
DOME S101 LMP 1	LOLA B12/80 LMP 2
FERRARI 333 SP LMP	LOLA ASTON MARTIN DBR1
HPD ARX-03 LMP 1	LOLA LOTUS LMP 2
JOEST PORSCHE LMP	ORECA REBELION R ONE
LOLA B2K/10 LMP	PEUGEOT 908 HDI LMP 1
LOLA B11/47 LMP2	PORSCHE 919 LMP 1
LOLA B98-10 LMP	TOYOTA GT-ONE LMP
MG LOLA LMP	TOYOTA TSO30 LMP 1
LISTER STORM LMP	TOYOTA TS040 LMP 1
MORGAN LMP 2	
NORMA M200P LMP 2	CHASE CCE-001 DP
ORECA 01 LMP 1	CHEVROLET CORVETTE DP
ORECA 03 LMP 2	COYOTE CC/09 DP
ORECA FLM LMP 1	CRAWFORD DP03 DP
PESCAROLO 01 LMP 1	DALLARA DP
PORSCHE RS SPYDER LMP 2	DORAN JE4 DP
RADICAL SR9 LMP 2	FABCAR FDSC DP
REYNARD 2KQ LMP	LOLAB08/70 DP
ZYTEC 04S LMP 2	MULTIMATIC MDP 1 DP
ZYTEC 07S LMP 2	PICCHIO DP
ZYTEC Z11 SN LMP 2	RILEY DP

# Le Mans & DAYTONA PROTOTYPES.

## **BODYSHELLS**

MUST NOT BE CUT OR ALTERED.  
NO LIGHTWEIGHT OR UNSPONSERD BODY'S.  
MUST BE FITTED WITH ORIGINAL GLASS & INTERIORS.  
BODY'S MAY BE RUN LOOSE, SCREWS MUST BE TAPED.

## **CHASSIS**

THE ORIGINAL OR A 3D PRINTED CHASSIS MAY BE USED.

## **DRIVETRAIN**

ANGLE / FRONT / INLINE OR SIDE MOUNTED ALLOWED.

## **GEARING**

NO RESTRICTIONS ON TYPE OR RATIO.

## **MOTORS**

ANY UNMODIFIED MOTOR WITH ORIGINAL WRAPPER.

## **MAGNETS**

MUST BE REMOVED.

## **RIDE HEIGHT**

NOT RESTRICTED.

## **WEIGHT**

MAY BE ADDED INSIDE THE CAR.

## **GUIDES**

MAY BE SHAVED, SPRUNG GUIDES MAY BE FITTED.

## **BRAIDS**

MAY BE STEEL OR COPPER.

## **AXLES**

MAX 65mm FRONT & REAR.

## **WHEELS**

PLASTIC OR ALLOY, MUST RUN INSERTS.

## **TYRES**

MUST BE RUBBER NO SILICON TYRES ALLOWED  
TYRES MUST NOT BE GLUED TO THE WHEELS OR SOFTENED.

# GROUP 5

CARS ELIGIBLE.

**ONLY RACER SIDEWAYS**

<b>BMW 320 BATMOBILE</b>
<b>BMW 320i</b>
<b>BMW M1</b>
<b>FERRARI 512BB</b>
<b>FORD CAPRI ZAKSPEED</b>
<b>FORD MUSTANG</b>
<b>LANCIA BETA MONTECARLO</b>
<b>LANCIA STRATOS HF TURBO</b>
<b>NISSAN SKYLINE</b>
<b>PORSCHE 935 MOBYDICK</b>
<b>PORSCHE 935 L</b>
<b>PORSCHE 935 K2</b>
<b>PORSCHE 935 K3</b>
<b>PORSCHE 935 J</b>
<b>PORSCHE 935/77A</b>
<b>TOYOTA CELICA</b>

**PTO**

# GROUP 5

**ALL CARS TO REMAIN STANDARD EXCEPT FOR THE FOLLOWING MODIFICATIONS.**

## **MOTORS**

ONLY A STANDARD NSR SPAIN WITH AN 11 TOOTH PINION MAY BE USED.

## **GEARING**

ONLY 11/28 RATIO ALLOWD.

## **DRIVETRAIN**

ONLY ANGLE WINDER ALLOWD. USING A SLOT-IT CH61 MOTOR MOUNT.

## **WEIGHT**

MAY BE ADDED INSIDE THE CAR.

## **RIDE HEIGHT**

NOT TO BE ALTERED.

## **MAGNETS**

MUST BE REMOVED.

## **GUIDES**

SPRUNG GUIDES MAY BE USED. THEY MAY BE SHAVED.

## **BRAIDS**

MAY BE STEEL OR COPPER.

## **AXLES**

MUST REMAIN STANDARD AS FITTED.

## **WHEELS**

PLASTIC OR ALLOY, MUST RUN INSERTS.

## **TYRES**

SLOT-IT 1159 C1 FRONTS

SLOT-IT 1152 C1 REAR TYRES MUST BE USED.

TYRES NOT TO BE GLUED TO THE WHEELS OR SOFTENED.



# NASCAR

CARS ELIGIBLE

**SCALEXTRIC & SCX**

**FORD PONTIAC CHEVROLET DODGE TOYOTA**

ALL CARS TO REMAIN STANDARD EXCEPT FOR THE FOLLOWING MODIFICATIONS, THEY MUST USE ORIGINAL CLEAR GLASS & DRIVER PLATFORMS.

## **MOTORS**

TO REMAIN STANDARD AS FITTED.

SCX MAY USE A PRO TURBO MOTOR or A NINCO NC-13.

## **MAGNETS**

THE STANDARD MAGNET MUST BE REMOVED AND A STANDARD NINCO MAGNET FITTED, 10mm BEHIND THE MOTOR WIRE FIXING MOULDING. MINIMUM HEIGHT 8mm.

## **WEIGHT**

MAY BE ADDED INSIDE THE CAR.

## **GUIDES**

GUIDES MAY BE SHAVED TO PREVENT BOTTOMING, NOTHING ELSE.

## **BRAIDS**

MAY BE STEEL OR COPPER.

## **RIDE HEIGHT**

NOT TO BE ALTERED.

## **AXLES**

SCALEXTRIC REQUIRE KK02B AXEL KIT FITTED TO THE REAR. SCX MAY USE A SLOT-IT REAR AXLE AND CROWN GEAR.

## **WHEELS**

PLASTIC FRONTS AND SLOT-IT PA43ALS REARS ONLY.

## **TYRES**

FRONT TYRES MUST REMAIN STANDARD.

REAR TYRES ONLY CLASSIC NSR 5236 SUPERGRIP.

# OPEN CAN-AM

CARS ELIGIBLE

FLY GB/TRACK NSR POLICAR SLOT-IT SRC.

ALFA ROMEO 33/3	PORSCHE 908 / 3
ALFA ROMEO 33TT12	PORSCHE 917K
CHAPARRAL 2E	PORSCHE 917 LH
CHAPARRAL 2F	PORSCHE 917 SPYDER
CHEVRON B19	PORSCHE 917 / 10
CHEVRON B21	
FERRARI P4	
FERRARI 250 LM	
FERRARI 312 PB	
FERRARI 330 P4	
FERRARI 512 C	
FERRARI 512 CL	
FERRARI 512 S	
FORD GT 40	
FORD MK IV	
FORD P68	
LOLA T70	
MATRA 670	
McLAREN M8D	
PORSCHE 906 CARRERA 6	
PORSCHE 907K	
PORSCHE 907L	
PORSCHE 908	
PORSCHE 908 FLUNDER	
PORSCHE 908 FLUNDER LH	

PTO

# OPEN CAN-AM

ALL CARS TO REMAIN STANDARD EXCEPT FOR THE FOLLOWING MODIFICATIONS.

## MOTORS

TO REMAIN STANDARD AS FITTED. ALTHOUGH FLY GB/TRACK SRC MAY USE NSR SHARK 20,000 OR SLOT-IT ORANGE 23,000

## MAGNETS

MUST BE REMOVED.

## WEIGHT

MAY BE ADDED INSIDE THE CAR.

## RIDE HEIGHT

NOT TO BE ALTERED.

## GUIDES

SPRUNG GUIDES ARE NOT ALLOWED.  
MAY BE SHAVED TO PREVENT BOTTOMING, NOTHING ELSE.

## BRAIDS

MAY BE STEEL OR COPPER.

## AXLES

REAR AXLE MUST REMAIN STANDARD, FRONT MAY BE REPLACED WITH SOLID AXLE.

## WHEELS

PLASTIC & ALLOY ALLOWED, (MUST RUN INSERTS)

## TYRES

LOW PROFILE FRONTS MAY BE USED.  
FLY & SCALEXTRIC CLASSIC TYRES MAY BE USED  
NSR CLASSIC SUPERGRIP TYRES MAY BE USED  
SLOT-IT C1 TYRES MAY BE USED

# CLUB CARS

THE CLUB WILL SUPPLY THE CARS IN THIS CLASS ON THE NIGHT.

## GENERAL CLUB RULES.

NO LIGHTER FUEL, ALCOHOL OR SMOKING ALLOWED IN THE HALL.

DO NOT ALTER YOUR CARS IN ANY WAY FROM HOW THEY HAVE BEEN MANUFACTURED AS STANDARD UNLESS THE RULES SAY YOU CAN.

ALL BODY & MOTOR MOUNT SCREWS MUST BE TAPED.

NO FLY OR SPIRIT LIGHT WEIGHT RACER BODY'S OR UN-DECALED BODY'S ALLOWED.

BALL-RACED AXLE BEARINGS MUST NOT BE USED.

FRONT AXLE CHASSIS MOUNTS MAY BE FILED VERTICALLY TO INCREASE FRONT WHEEL RISE AND FALL.

ALLOY WHEELS MUST NOT BE USED IN THE FOLLOWING CLASSES, BTCC CAN-AM, DTM, & CLASSIC RALLY.

SILICON TYRES ARE NOT ALLOWED AT THIS RACETRACK. THE GLUING OR SOFTENING OFF TYRES IS STRICTLY FORBIDDEN.

# CLASSIC RALLY

CARS ELIGIBLE

FLY, NINCO, SCALEXTRIC, SCX, TEAM SLOT, TOP SLOT

CARS MUST HAVE RALLY DECALS & USED FOR  
INTERNATIONAL RALLYING BETWEEN 1960 AND 1990

ALFA ROMEO GTA
ALFA ROMEO GTV
AUDI QUATTRO
FIAT 124 ABARTH
FIAT 131 ABARTH
FORD CORTINA MK1
FORD ESCORT MK1 + MK2
FORD RS 200
FORD SIERRA RS COSWORTH
LANCIA 037
LANCIA DELTA
LANCIA STRATOS
METRO 6R4
MINI MK1 + MK2
OPEL MANTA 400
PEUGEOT 205 T16
PORSCHE 959
RENAULT ALPINE A110
RENAULT 5 TURBO
TALBOT SUNBEAM LOTUS
TOYOTA CELICA GT4
VAUXHALL CHEVETTE
VOLKSWAGEN BEETLE MK1

ALL CARS MUST BE TWO WHEEL DRIVE ONLY  
AND HAVE A CO-DRIVER

# CLASSIC RALLY

**ALL CARS TO REMAIN STANDARD EXCEPT FOR THE FOLLOWING MODIFICATIONS.**

## **MOTORS**

ONLY FROM THE LISTED MANUFACTURERS MAY BE USED.  
PREFERABLY SMALL CAN MOTORS.

## **MAGNETS**

MUST BE REMOVED.

## **WEIGHT**

MAY BE ADDED INSIDE THE CAR.

## **RIDE HEIGHT**

NOT TO BE ALTERED.

## **GUIDES**

GUIDE MAY BE SHAVED, SPRUNG GUIDES MAY BE USED.

## **BRAIDS**

MAY BE STEEL OR COPPER.

## **AXLES**

ANY FROM THE LISTED MANUFACTURERS MAY BE USED.

## **TYRES**

TREADED OR SLICK TYRES OF THE LISTED MANUFACTURERS  
MAY BE USED.

# RALLYCROSS

ANY FOUR SEATER BODY. NO BLOBS OR SPORTS GTS.

## **BODYSHEELS**

MUST NOT BE CUT OR ALTERED.  
NO LIGHTWEIGHT OR UNSPONSERD BODY'S  
MUST BE FITTED WITH ORIGINAL GLASS & INTERIORS.  
BODY'S MAY BE RUN LOOSE, SCREWS MUST BE TAPED.

## **CHASSIS**

THE ORIGINAL OR A 3D PRINTED CHASSIS MAY BE USED.

## **DRIVETRAIN**

ANGLE / FRONT / INLINE OR SIDE MOUNTED ALLOWED.

## **GEARING**

NO RESTRICTIONS ON TYPE OR RATIO.

## **MOTORS**

ANY UNMODIFIED MOTOR WITH ORIGINAL WRAPPER.

## **MAGNETS**

MUST BE REMOVED.

## **RIDE HEIGHT**

NOT RESTRICTED.

## **WEIGHT**

MAY BE ADDED INSIDE THE CAR.

## **GUIDES**

MAY BE SHAVED, SPRUNG GUIDES MAY BE FITTED.

## **AXLES**

MAX 60mm FRONT & REAR.

## **BRAIDS**

MAY BE STEEL OR COPPER.

## **WHEELS**

PLASTIC OR ALLOY, MUST RUN INSERTS.

## **TYRES**

MUST BE RUBBER NO SILICON TYRES ALLOWED  
TYRES MUST NOT BE GLUED OR SOFTENED.

# YEAR 2020 RACE DATES

JAN	4th	SAT	GROUP 1	CLOCKWISE	16.00
JAN	18th	SAT	GROUP 2	#	16.00
FEB	1st	SAT	GROUP 3	#	16.00
FEB	15th	SAT	GROUP 1	ANTI	16.00
FEB	29th	SAT	GROUP 2	#	16.00
MAR	14th	SAT	GROUP 3	#	16.00
MAR	28th	SAT	GROUP 1	CLOCKWISE	16.00
APR	11th	SAT	GROUP 2	#	16.00
APR	25th	SAT	GROUP 3	#	16.00
MAY	9th	SAT	GROUP 1	ANTI	16.00
MAY	23rd	SAT	GROUP 2	#	16.00
JUN	6th	SAT	GROUP 3	#	16.00
JUN	20th	SAT	SPECIAL	EVENT	13.00
JUL	4th	SAT	GROUP 1	CLOCKWISE	16.00
JUL	18th	SAT	GROUP 2	#	16.00
AUG	1st	SAT	GROUP 3	#	16.00
AUG	15th	SAT	GROUP 1	ANTI	16.00
AUG	29th	SAT	GROUP 2	#	16.00
SEP	12th	SAT	GROUP 3	#	16.00
SEP	26th	SAT	GROUP 1	CLOCKWISE	16.00
OCT	10th	SAT	GROUP 2	#	16.00
OCT	24th	SAT	GROUP 3	#	16.00
NOV	7th	SAT	GROUP 1	ANTI	16.00
NOV	21st	SAT	GROUP 2	#	16.00
DEC	5th	SAT	GROUP 3	#	16.00
DEC	27th	SUN	CHRISTMAS	EVENT	13.00