

BERRYFIELDS RACEWAY



YEAR 2022 RULE BOOK

NAME

CAR No

CHAMPIONSHIP

EACH CLASS WILL CONSIST OF EIGHT RACES, OF WHICH YOUR BEST SIX RESULTS IN EACH CLASS WILL COUNT TOWARDS EACH CHAMPIONSHIP.

POINT WILL BE AWARDED AS FOLLOWS :-

1st = 10pts 2nd = 8pts 3rd = 7pts 4th = 6pts

5th = 5pts 6th = 4pts 7th = 3pts 8th = 2pts

ALL OTHER FINISHERS = 1pt

CLUB CHAMPION

YOUR FINAL POSITION IN EACH OF THE TWELVE CHAMPIONSHIPS, WILL COUNT TOWARDS BEING CLUB CHAMPION.

POINTS WILL BE AWARDED FOR EACH POSITION AS FOLLOWS :-

1st = 10pts 2nd = 8pts 3rd = 7pts 4th = 6pts

5th = 5pts 6th = 4pts 7th = 3pts 8th = 2pts

ALL OTHER PLACES = 1pt

GROUP 1

GROUP C	non-turbo NO MAGNETS
D.T.M TOURING CARS	non-turbo NO MAGNETS
CAN-AM	non-turbo NO MAGNETS
BTCC (Post 2012)	non-turbo NO MAGNETS

GROUP 2

WORLD GTs	NO MAGNETS
Le MANS & DAYTONA PROTOTYPES	NO MAGNETS
GROUP 5	non-turbo NO MAGNETS
NASCAR	SCALEXTRIC & SCX

GROUP 3

OPEN CAN-AM	NO MAGNETS
CLUB CARS	non-turbo SUPPLIED ON THE NIGHT
CLASSIC RALLY	NO MAGNETS
RALLYCROSS	NO MAGNETS

GROUP C

CARS ELIGIBLE

ONLY SLOT-IT

GROUP C

JAGUAR XJR6 / XJR9 / XJR12
LANCIA LC2
MAZDA 787B
NISSAN R89C
NISSAN R90CK
NISSAN R90V
PORSCHE 956C / 956KH
PORSCHE 962C / 962KH
SAUBER MERCEDES C9
TOYOTA 86C
TOYOTA 88C

ALL CARS TO RUN IN AN INLINE CONFIGURATION.
ALL BODYSHELLS & INTERIORS TO REMAIN STANDARD.

PTO

GROUP C

MOTORS

A STANDARD SLOT-IT SMALLCAN (AS IT LEFT THE FACTORY) WITH 9 TOOTH PINION MOTOR TO BE USED.

MOTOR MOUNT

A BLACK CH13b or a DARK GREY CH70 INLINE MOTOR MOUNT TO BE USED.

GEARS

A YELLOW 28 TOOTH INLINE GEAR TO BE USED.

MAGNETS

MUST BE REMOVED.

GUIDES

ONLY A SLOT-IT Std GUIDE TO BE USED, IT MAY BE SHAVED.

BRAIDS

MAY BE STEEL OR COPPER.

AXLES

MUST REMAIN STANDARD AS FITTED.

WHEELS

PLASTIC & ALLOY ALLOWED (MUST RUN INSERTS).

TYRES

SLOT-IT 1159 C1 FRONT TYRES

SLOT-IT 1167 C1 REAR TYRES MUST BE USED.

TYRES NOT TO BE GLUED TO WHEELS OR SOFTENED.

WEIGHT

MAY BE ADDED INSIDE THE CAR.

RIDE HEIGHT

NOT TO BE ALTERED.

D.T.M. TOURING CARS

CARS ELIGIBLE

CARRERA, NINCO, SCX,

ALFA ROMEO 155Ti	MERCEDES C-COUBE
AUDI A4 DTM	MERCEDES CLK DTM
AUDI A5 DTM	MERCEDES C-KLASSE & MK1
AUDI TT-R DTM	OPEL CALIBRA
BMW M3 DTM	OPEL COUPE V8 DTM
BMW M4 DTM	OPEL VECTRA GTS V8

ALL CARS TO REMAIN STANDARD EXCEPT FOR THE FOLLOWING MODIFICATIONS.

MOTORS

ONLY A STANDARD **NINCO** NC-1, NC-8 MOTOR MAY BE USED.
SCX & CARRERA THE STD MOTOR OR AN NC-11 / NC-13 MAY USE

THE CLUB WILL HELP WITH MOTOR ADAPTERS.

MAGNETS

MUST BE REMOVED.

WEIGHT

MAY BE ADDED INSIDE THE CAR.

GUIDES

MAY BE SHAVED, SPRUNG GUIDES MAY BE FITTED.

BRAIDS

MAY BE STEEL OR COPPER.

RIDE HEIGHT

NOT TO BE ALTERED.

AXLES

MAX 60mm FRONT & REAR.

TYRES

ONLY TYRES OF THE CORRECT SIZE MAY BE USED, FROM THE ABOVE MANUFACTURERS.

CAN-AM

CARS ELIGIBLE

FLY, GB TRACK, SRC & SCALEXTRIC CLASSIC.

ALFA ROMEO 33TT12
CHAPARRAL 2F
CHEVRON B19
CHEVRON B21
FERRARI P4
FERRARI 250 LM
FERRARI 512S
FERRARI 512 C
FERRARI 512 CL
FORD GT 40
LOLA T70
MATRA 670
PORSCHE 906 CARRERA 6
PORSCHE 907K
PORSCHE 907L
PORSCHE 908
PORSCHE 908 FLUNDER
PORSCHE 908 FLUNDER LH
PORSCHE 908 / 3
PORSCHE 917K
PORSCHE 917 LH
PORSCHE 917 SPYDER
PORSCHE 917 / 10

PTO

CAN-AM

ALL CARS TO REMAIN STANDARD EXCEPT FOR THE FOLLOWING MODIFICATIONS.

MOTORS

TO REMAIN STANDARD AS FITTED.

MAGNETS

MUST BE REMOVED.

WEIGHT

MAY BE ADDED INSIDE THE CAR.

RIDE HEIGHT

NOT TO BE ALTERED.

GUIDES

SPRUNG GUIDES ARE NOT ALLOWED.

MAY BE SHAVED TO PREVENT BOTTOMING, NOTHING ELSE.

BRAIDS

MAY BE STEEL OR COPPER.

AXLES

REAR AXLE MUST REMAIN STANDARD, FRONT MAY BE REPLACED WITH SOLID AXLE.

TYRES

FLY & SCALEXTRIC CLASSIC TYRES MAY BE USED ON OWN MAKE OF CAR.

LOW PROFILE FRONTS MAY BE USED.

(CLASSIC NSR SUPERGRIPS MAY BE USED).

BTCC (Post 2012)

CARS ELIGIBLE SCALEXTRIC ONLY

BMW 125	MG 6
HONDA CIVIC TYPE R	VW PASSAT

ALL CARS TO REMAIN STANDARD EXCEPT FOR THE FOLLOWING MODIFICATIONS.

MOTORS

TO REMAIN STANDARD AS FITTED.

MAGNETS

MUST BE REMOVED.

GUIDES

TO REMAIN STANDARD, BUT MAY BE SHAVED

BRAIDS

MAY BE STEEL OR COPPER.

AXLES

MUST REMAIN STANDARD AS FITTED.

WHEELS

MUST REMAIN PLASTIC

TYRES

SLOT-IT 1088 C1 FRONT TYRES.

SLOT-IT 1152 C1 REAR TYRES MUST BE USED.

TYRES NOT TO BE GLUED TO THE WHEELS OR SOFTENED

WEIGHT

MAY BE ADDED INSIDE THE CAR.

RIDE HEIGHT

NOT TO BE ALTERED.

WORLD GTs.

ANY GT BODY FROM THE LIST MAY BE USED, NO BLOBS.


CHASSIS ALLOWED STD / HRS 2 OR 3D PRINTED

ONLY THE FOLLOWING MODIFICATIONS ARE ALLOWED.

ALL 4 WHEELS MUST TOUCH THE GROUND ON A FLAT SLOTTED SURFACE. BODY WORK MUST COVER THE TYRES.

ALL CARS MUST RUN AN INLINE CONFIGURATION.

SICH 34	HRS 2 INLINE STARTER KIT
SIKK 07	INLINE LARGE HUBS 17 x 10 STARTER KIT 28z
SIPA 18PL	PLASTIC WHEELS 17 x 8 or SIPA 18ALS
SIPA 01	STEEL PRO AXEL 54mm
SICH 48b	INLINE MOUNT WITH TORSION BAR
SIP 109	9 TOOTH INLINE PINION
SISP 03	HIGH FLEXIBILITY SILICON CABLE
MM 18120	JP SLOT OR NC2 20,000 MOTOR
Front	SLICK 19 x 10 TYRES
Rear	SLOT-IT P6 20 x 11 TYRES (SI-PT25)



ACURA NSX GT3
ASTON MARTIN DBR9
ASTON MARTIN VANTAGE GT3
AUDI R8 LMS GT3
BENTLY CONTINENTAL GT3
BMW Z4 GT3
BMW M6 GT3
CORVETTE C5-R CR6 CR7
DODGE VIPER
FERRARI 458 ITALIA GT3
FERRARI 488 GT3
FORD GT
HONDA HSV
JAGUAR XKR GT3
KOENIGSEGG CCX
LAMBORGHINI GALLARDO GT3
LAMBORGHINI MURCIELAGO GT3
LAMBORGHINI HURRACAN GT3
MASERATI TROFEO COUPE
McLAREN MP4/12C GT3
McLAREN 650s GT3
McLAREN P1 GTR
MERCEDES AMG GT3
MERCEDES SLS AMG GT3
NISSAN GT-R GT3
PAGANI ZONDA
PORSCHE 997 GT3 RS
PORSCHE 911 GT3 R
RENAULT RS01 GT
SPYKER C8

WORLD GTs

BODYSHELLS

MUST NOT BE CUT & HAVE FULL ORIGINAL GLASS ALL ROUND. DRIVER PLATFORMS MUST REMAIN ORIGINAL, HOWEVER THEY MAY BE CUT TO ALLOW FOR THE INLINE MOTOR TO BE MOUNTED.

MOTORS

ONLY A JP SLOT 20,000 rpm OR NINCO NC2 MOTOR, WITH A SLOT IT 9 TOOTH PINION ALLOWED.

MOTOR MOUNT

ONLY A BLACK INLINE SLOT-IT MOUNT TO BE USED.

GEARS

A YELLOW SLOT-IT 28 TOOTH INLINE GEAR TO BE USED.

MAGNETS

NO MAGNETS ALLOWED.

WEIGHT

WEIGHT MAY BE ADDED INSIDE THE CAR.

GUIDES

SPRUNG GUIDES MAY BE USED, THEY MAY BE SHAVED.

BRAIDS

MAY BE STEEL OR COPPER.

RIDE HEIGHT

2mm MINIMUM.

AXLES

ONLY SLOT-IT AXELS TO BE USED.
MAX 65mm FRONT AND REAR.

WHEELS

PLASTIC & ALLOY WHEELS MAY BE USED.
INSERTS MUST BE FITTED.

TYRES

ONLY SLOT-IT PT25 P6 REAR TYRES MUST BE USED.
TYRES NOT TO BE GLUED TO THE WHEELS OR SOFTENED

Le Mans & DAYTONA PROTOTYPES.

CARS ELIGIBLE

OPEN TOP	CLOSED TOP
ACURA LMP 2	AUDI R8C
ASTON MARTIN AMR-ONE	AUDI R18e / TDI LMP 2
AUDI R8 LMP 1	AUDI R18 ULTRA
AUDI R10 LMP 1	BENTLEY EXP SPEED 8 LMP
AUDI R15 TDI LMP 1	DOMES102 LMP 1
CADILLAC NORTHSTAR LMP	LOLA B09/60 LMP 1
COURAGE C-65 LMP1	LOLA B10/65 LMP 1
DALLARA LMP 1	LOLA B11/80 LMP 2
DOVE S101 LMP 1	LOLA B12/80 LMP 2
FERRARI 333 SP LMP	LOLA ASTON MARTIN DBR1
HPD ARX-03 LMP 1	LOLA LOTUS LMP 2
JOEST PORSCHE LMP	ORECA REBELION R ONE
LOLA B2K/10 LMP	PEUGEOT 908 HDI LMP 1
LOLA B11/47 LMP2	PORSCHE 919 LMP 1
LOLA B98-10 LMP	TOYOTA GT-ONE LMP
MG LOLA LMP	TOYOTA TSO30 LMP 1
LISTER STORM LMP	TOYOTA TS040 LMP 1
MORGAN LMP 2	
NORMA M200P LMP 2	CHASE CCE-001 DP
ORECA 01 LMP 1	CHEVROLET CORVETTE DP
ORECA 03 LMP 2	COYOTE CC/09 DP
ORECA FLM LMP 1	CRAWFORD DP03 DP
PESCAROLO 01 LMP 1	DALLARA DP
PORSCHE RS SPYDER LMP 2	DORAN JE4 DP
RADICAL SR9 LMP 2	FABCAR FDSC DP
REYNARD 2KQ LMP	LOLAB08/70 DP
ZYTEC 04S LMP 2	MULTIMATIC MDP 1 DP
ZYTEC 07S LMP 2	PICCHIO DP
ZYTEC Z11 SN LMP 2	RILEY DP

Le Mans & DAYTONA PROTOTYPES.

BODYSHELLS

MUST NOT BE CUT OR ALTERED.
NO LIGHTWEIGHT OR UNSPONSERD BODY'S.
MUST BE FITTED WITH ORIGINAL GLASS & INTERIORS.
BODY'S MAY BE RUN LOOSE, SCREWS MUST BE TAPED.

CHASSIS

THE ORIGINAL OR A 3D PRINTED CHASSIS MAY BE USED.

DRIVETRAIN

ANGLE / FRONT / INLINE OR SIDE MOUNTED ALLOWED.

GEARING

NO RESTRICTIONS ON TYPE OR RATIO.

MOTORS

ANY UNMODIFIED MOTOR WITH ORIGINAL WRAPPER.

MAGNETS

MUST BE REMOVED.

RIDE HEIGHT

NOT RESTRICTED.

WEIGHT

MAY BE ADDED INSIDE THE CAR.

GUIDES

MAY BE SHAVED, SPRUNG GUIDES MAY BE FITTED.

BRAIDS

MAY BE STEEL OR COPPER.

AXLES

MAX 65mm FRONT & REAR.

WHEELS

PLASTIC OR ALLOY, MUST RUN INSERTS.

TYRES

MUST BE RUBBER NO SILICON TYRES ALLOWED
TYRES MUST NOT BE GLUED TO THE WHEELS OR SOFTENED.

GROUP 5

CARS ELIGIBLE.

ONLY RACER SIDEWAYS

BMW 320 BATMOBILE
BMW 320i
BMW M1
FERRARI 512BB
FORD CAPRI ZAKSPEED
FORD MUSTANG
LANCIA BETA MONTECARLO
LANCIA STRATOS HF TURBO
NISSAN SKYLINE
PORSCHE 935 MOBYDICK
PORSCHE 935 L
PORSCHE 935 K2
PORSCHE 935 K3
PORSCHE 935 J
PORSCHE 935/77A
TOYOTA CELICA

PTO

GROUP 5

ALL CARS TO REMAIN STANDARD EXCEPT FOR THE FOLLOWING MODIFICATIONS.

MOTORS

ONLY A STANDARD NSR SPAIN WITH AN 11 TOOTH PINION MAY BE USED.

GEARING

ONLY 11/28 RATIO ALLOWD.

DRIVETRAIN

ONLY ANGLE WINDER ALLOWD. USING A SLOT-IT CH61 MOTOR MOUNT.

WEIGHT

MAY BE ADDED INSIDE THE CAR.

RIDE HEIGHT

NOT TO BE ALTERED.

MAGNETS

MUST BE REMOVED.

GUIDES

SPRUNG GUIDES MAY BE USED. THEY MAY BE SHAVED.

BRAIDS

MAY BE STEEL OR COPPER.

AXLES

MUST REMAIN STANDARD AS FITTED.

WHEELS

PLASTIC OR ALLOY, MUST RUN INSERTS.

TYRES

SLOT-IT 1159 C1 FRONTS

SLOT-IT 1152 C1 REAR TYRES MUST BE USED.

TYRES NOT TO BE GLUED TO THE WHEELS OR SOFTENED.

NASCAR

CARS ELIGIBLE

SCALEXTRIC & SCX

FORD PONTIAC CHEVROLET DODGE TOYOTA

ALL CARS TO REMAIN STANDARD EXCEPT FOR THE FOLLOWING MODIFICATIONS, THEY MUST USE ORIGINAL CLEAR GLASS & DRIVER PLATFORMS.

MOTORS

TO REMAIN STANDARD AS FITTED.

SCX MAY USE A PRO TURBO MOTOR or A NINCO NC-13.

MAGNETS

THE STANDARD MAGNET MUST BE REMOVED AND A STANDARD NINCO MAGNET FITTED, 10mm BEHIND THE MOTOR WIRE FIXING MOULDING. MINIMUM HEIGHT 8mm.

WEIGHT

MAY BE ADDED INSIDE THE CAR.

GUIDES

GUIDES MAY BE SHAVED TO PREVENT BOTTOMING, NOTHING ELSE.

BRAIDS

MAY BE STEEL OR COPPER.

RIDE HEIGHT

NOT TO BE ALTERED.

AXLES

SCALEXTRIC REQUIRE KK02B AXEL KIT FITTED TO THE REAR. SCX MAY USE A SLOT-IT REAR AXLE AND CROWN GEAR.

WHEELS

PLASTIC FRONTS AND SLOT-IT PA43ALS REARS ONLY.

TYRES

FRONT TYRES MUST REMAIN STANDARD.

REAR TYRES ONLY CLASSIC NSR 5236 SUPERGRIP.

OPEN CAN-AM

CARS ELIGIBLE

FLY GB/TRACK NSR POLICAR SLOT-IT SRC.

ALFA ROMEO 33/3	PORSCHE 908 / 3
ALFA ROMEO 33TT12	PORSCHE 917K
CHAPARRAL 2E	PORSCHE 917 LH
CHAPARRAL 2F	PORSCHE 917 SPYDER
CHEVRON B19	PORSCHE 917 / 10
CHEVRON B21	
FERRARI P4	
FERRARI 250 LM	
FERRARI 312 PB	
FERRARI 330 P4	
FERRARI 512 C	
FERRARI 512 CL	
FERRARI 512 S	
FORD GT 40	
FORD MK IV	
FORD P68	
LOLA T70	
MATRA 670	
McLAREN M8D	
PORSCHE 906 CARRERA 6	
PORSCHE 907K	
PORSCHE 907L	
PORSCHE 908	
PORSCHE 908 FLUNDER	
PORSCHE 908 FLUNDER LH	

PTO

OPEN CAN-AM

ALL CARS TO REMAIN STANDARD EXCEPT FOR THE FOLLOWING MODIFICATIONS.

MOTORS

TO REMAIN STANDARD AS FITTED. ALTHOUGH FLY GB/TRACK SRC MAY USE NSR SHARK 20,000 OR SLOT-IT ORANGE 23,000

MAGNETS

MUST BE REMOVED.

WEIGHT

MAY BE ADDED INSIDE THE CAR.

RIDE HEIGHT

NOT TO BE ALTERED.

GUIDES

SPRUNG GUIDES ARE NOT ALLOWED.
MAY BE SHAVED TO PREVENT BOTTOMING, NOTHING ELSE.

BRAIDS

MAY BE STEEL OR COPPER.

AXLES

REAR AXLE MUST REMAIN STANDARD, FRONT MAY BE REPLACED WITH SOLID AXLE.

WHEELS

PLASTIC & ALLOY ALLOWED, (MUST RUN INSERTS)

TYRES

LOW PROFILE FRONTS MAY BE USED.
FLY & SCALEXTRIC CLASSIC TYRES MAY BE USED
NSR CLASSIC SUPERGRIP TYRES MAY BE USED
SLOT-IT C1 TYRES MAY BE USED

CLUB CARS

THE CLUB WILL SUPPLY THE CARS IN THIS CLASS ON THE NIGHT.

GENERAL CLUB RULES.

NO LIGHTER FUEL, ALCOHOL OR SMOKING ALLOWED IN THE HALL.

DO NOT ALTER YOUR CARS IN ANY WAY FROM HOW THEY HAVE BEEN MANUFACTURED AS STANDARD UNLESS THE RULES SAY YOU CAN.

ALL BODY & MOTOR MOUNT SCREWS MUST BE TAPED.

NO FLY OR SPIRIT LIGHT WEIGHT RACER BODY'S OR UN-DECALED BODY'S ALLOWED.

BALL-RACED AXLE BEARINGS MUST NOT BE USED.

FRONT AXLE CHASSIS MOUNTS MAY BE FILED VERTICALLY TO INCREASE FRONT WHEEL RISE AND FALL.

ALLOY WHEELS MUST NOT BE USED IN THE FOLLOWING CLASSES, BTCC, FLY CAN-AM, DTM, & CLASSIC RALLY.

SILICON TYRES ARE NOT ALLOWED AT THIS RACETRACK. THE GLUING OR SOFTENING OFF TYRES IS STRICTLY FORBIDDEN.

CLASSIC RALLY

CARS ELIGIBLE

FLY, NINCO, SCALEXTRIC, SCX, TEAM SLOT, TOP SLOT

CARS MUST HAVE RALLY DECALS & USED FOR
INTERNATIONAL RALLYING BETWEEN 1960 AND 1990

ALFA ROMEO GTA
ALFA ROMEO GTV
AUDI QUATTRO
FIAT 124 ABARTH
FIAT 131 ABARTH
FORD CORTINA MK1
FORD ESCORT MK1 + MK2
FORD RS 200
FORD SIERRA RS COSWORTH
LANCIA 037
LANCIA DELTA
LANCIA STRATOS
METRO 6R4
MINI MK1 + MK2
OPEL MANTA 400
PEUGEOT 205 T16
PORSCHE 959
RENAULT ALPINE A110
RENAULT 5 TURBO
TALBOT SUNBEAM LOTUS
TOYOTA CELICA GT4
VAUXHALL CHEVETTE
VOLKSWAGEN BEETLE MK1

ALL CARS MUST BE TWO WHEEL DRIVE ONLY
AND HAVE A CO-DRIVER

CLASSIC RALLY

ALL CARS TO REMAIN STANDARD EXCEPT FOR THE FOLLOWING MODIFICATIONS.

MOTORS

ONLY FROM THE LISTED MANUFACTURERS MAY BE USED.
PREFERABLY SMALL CAN MOTORS.

MAGNETS

MUST BE REMOVED.

WEIGHT

MAY BE ADDED INSIDE THE CAR.

RIDE HEIGHT

NOT TO BE ALTERED.

GUIDES

GUIDE MAY BE SHAVED, SPRUNG GUIDES MAY BE USED.

BRAIDS

MAY BE STEEL OR COPPER.

AXLES

ANY FROM THE LISTED MANUFACTURERS MAY BE USED.

TYRES

TREADED OR SLICK TYRES OF THE LISTED MANUFACTURERS
MAY BE USED.

RALLYCROSS

ANY FOUR SEATER BODY. NO BLOBS OR SPORTS GTS.

BODYSHEELS

MUST NOT BE CUT OR ALTERED.
NO LIGHTWEIGHT OR UNSPONSERD BODY'S
MUST BE FITTED WITH ORIGINAL GLASS & INTERIORS.
BODY'S MAY BE RUN LOOSE, SCREWS MUST BE TAPED.

CHASSIS

THE ORIGINAL OR A 3D PRINTED CHASSIS MAY BE USED.

DRIVETRAIN

ANGLE / FRONT / INLINE OR SIDE MOUNTED ALLOWED.

GEARING

NO RESTRICTIONS ON TYPE OR RATIO.

MOTORS

ANY UNMODIFIED MOTOR WITH ORIGINAL WRAPPER.

MAGNETS

MUST BE REMOVED.

RIDE HEIGHT

NOT RESTRICTED.

WEIGHT

MAY BE ADDED INSIDE THE CAR.

GUIDES

MAY BE SHAVED, SPRUNG GUIDES MAY BE FITTED.

AXLES

MAX 60mm FRONT & REAR.

BRAIDS

MAY BE STEEL OR COPPER.

WHEELS

PLASTIC OR ALLOY, MUST RUN INSERTS.

TYRES

MUST BE RUBBER NO SILICON TYRES ALLOWED
TYRES MUST NOT BE GLUED OR SOFTENED.

YEAR 2022 RACE DATES

JAN	08th	SAT	GROUP 1	CLOCKWISE	16.30
JAN	22nd	SAT	GROUP 2	#	16.30
FEB	05th	SAT	GROUP 3	#	16.30
FEB	19th	SAT	GROUP 1	ANTI	16.30
MAR	05th	SAT	GROUP 2	#	16.30
MAR	19th	SAT	GROUP 3	#	16.30
APR	02nd	SAT	GROUP 1	CLOCKWISE	16.30
APR	16th	SAT	GROUP 2	#	16.30
APR	30th	SAT	GROUP 3	#	16.30
MAY	14th	SAT	GROUP 1	ANTI	16.30
MAY	28th	SAT	GROUP 2	#	16.30
JUN	11th	SAT	GROUP 3	#	16.30
JUN	25th	SAT	SPECIAL	EVENT	
JUL	09th	SAT	GROUP 1	CLOCKWISE	16.30
JUL	23rd	SAT	GROUP 2	#	16.30
AUG	06th	SAT	GROUP 3	#	16.30
AUG	20th	SAT	GROUP 1	ANTI	16.30
SEP	03rd	SAT	GROUP 2	#	16.30
SEP	17th	SAT	GROUP 3	#	16.30
OCT	01st	SAT	GROUP 1	CLOCKWISE	16.30
OCT	15th	SAT	GROUP 2	#	16.30
OCT	29th	SAT	GROUP 3	#	16.30
NOV	12th	SAT	GROUP 1	ANTI	16.30
NOV	26th	SAT	GROUP 2	#	16.30
DEC	10th	SAT	GROUP 3	#	16.30
DEC			CHRISTMAS	EVENT	